



# Vered

## Heavy duty driplines

Pressure Compensated

**Crops** • Citrus • Apples • Avocado • Cherry • Almonds

**Applications** • Open field • Orchards • Landscaping

VERED is a heavy-duty flat pressure compensated dripper, designed for challenging water qualities and soil. This legacy dripline has been serving farmers for decades, assuring reliable and trustworthy irrigation. Vered's proven record is driving loyal orchards growers as well as new Open Field crops growers to choose Vered time after time, trusting that this robust Dripline will perform at its best when it will really matter and ensure uniform and precise irrigation to their plants.

### Features & Benefits

- Advanced self-flushing mechanism at the beginning and at the end of each irrigation cycle
- Unique and accurate pressure-compensating labyrinth mechanism
- Wide range of working pressures for various topographies
- Highly resistant to UV and typical agricultural fertilizers
- Very low CV
- Highly durable and reliable structure designed for harsh water conditions
- The Vered dripper has the largest effective filtration area in the market
- The thickest silicone diaphragm in its dripper's category ensures accuracy and high-pressure regulating performance for a long lifetime
- 100% of drippers inspected by online AI quality assurance system
- Compatible with and approved by ISO9261 standard


### Specifications

- Wide self-cleaning labyrinth with turbulent flow to prevent particle settling
- Driplines available at diameters of 16mm, 17mm, 20mm, 22mm, 25mm
- Precisely welded into medium/thick wall driplines of 0.60mm-1.25mm thickness
- Available with Rootguard® Band extruded layer to prevent root intrusion in SDI applications
- Available with Cleanline® extruded layer to prevent clogging when using water with high organic content
- Color striping available per grower's choice
- Vered driplines can be manufactured with an additional color layer according to the client's request. Available colors include brown, purple, white, and more

## Vered Dripper Technical Specifications

Flow Rate L/hr	Working Pressure Range (m)	Primary Labyrinth Dimensions Width-Depth (mm)	Compensating Labyrinth Dimensions Width-Depth (mm)	Inlet Filter Slot width ( $\mu$ )	Effective Filtration Area (mm <sup>2</sup> )	Recommended Filtration (micron/mesh)
<b>1</b>	5-40	0.7X 0.9	0.4X 0.3	730	52.5	120/ 130
<b>1.2</b>	5-40	0.8X 0.9	0.4X 0.3	730	52.5	120/ 130
<b>1.6</b>	5-40	09X 1.0	0.5x 0.3	820	52.5	120/ 130
<b>2.1</b>	5-40	0.95X 1.05	0.6X 0.4	870	52.5	120/ 130
<b>3.5</b>	5-40	1.3X 1.4	0.7X 0.5	1230	52.5	120/ 130

## Flow rate Vs. Pressure



## Flow rate Vs. Pressure table

Nominal Flow rate (L/hr)	pressure (m)						
	2	4	6	8	10	20	30
<b>1</b>	0.5	1.1	1.1	1	1.01	1.01	1.02
<b>1.2</b>	1.05	1.22	1.28	1.2	1.21	1.22	1.21
<b>1.6</b>	1.35	1.61	1.62	1.58	1.56	1.58	1.65
<b>2.1</b>	1.87	2.18	2.28	2.19	2.10	2.10	2.11
<b>3.5</b>	2.57	3.3	3.58	3.5	3.5	3.51	3.5

# Vered



## VERED Dripline Technical Data

Model	Ø Inside Diameter (mm)	Wall Thickness (mm/mil)	Max working pressure (m)	KD
<b>VERED 16060</b>	15.2	0.60	2.5	0.65
<b>VERED 16090</b>	15	0.90	3.0	0.95
<b>VERED 16100</b>	13.8	1.00	4.0	0.95
<b>VERED 16115</b>	13.8	1.15	4.0	0.95
<b>VERED 16120</b>	13.8	1.20	4.0	0.95
<b>VERED 17090</b>	15	0.90	3.0	0.7
<b>VERED 17115</b>	15	1.15	4.0	0.7
<b>VERED 20120</b>	15	1.20	3.5	0.6
<b>VERED 20125</b>	17.4	1.25	3.5	0.6
<b>VERED 22090</b>	21	0.90	3.0	0.24
<b>VERED 22100</b>	21	1.00	3.5	0.24
<b>VERED 25100</b>	24.7	1.00	3.5	0.21



Calculate Vered dripline's lateral length  
with our [Irrimetzer app!](#)



## Keep in touch!

 [info@metzerplas.com](mailto:info@metzerplas.com)

 [metzer-group.com](http://metzer-group.com)



Notwithstanding anything to the contrary, (A) any information, data, figures, descriptions or any other content included in, or referred to, this document (collectively - "Information") are provided merely (i) on an "as is", "as available" basis only, without any kind of representation, warranty, liability, responsibility and/or undertaking on the part of Metzerplas and/or anyone acting on its behalf, and (ii) for general, informational purposes only, and (B) the Information or any content contained in this document do not constitute, in any way, any professional advice, recommendation or guidance and/or any sort of consultancy and must not be relied on as such. In making a decision, the recipient or reader of the Information must rely solely on its own calculations and examination of the Information, including the merits and risks involved.